

L Number	Hits	Search Text	DB	Time stamp
-	84845	password or encrypt\$3 or decipher\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 14:00
-	3244	select\$3 same (sensitiv\$3 or confidential) near4 (data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 14:01
-	32001	(sensitive or 2\$sensitive or confidential or secure or 2\$secure) near3 (data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 17:20
-	7514	((secur\$3 or 2\$secur\$3) with connect\$3) same network	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 17:20
-	3052	(reflac\$3 or chang\$3 or modif\$6) near4 password	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 14:15
-	2500	(first or second or another) near3 password	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 14:16
-	50	((password or encrypt\$3 or decipher\$3) and (watermark and (hash near4 function))) and @ad <= "20000615"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 14:48
-	3052	(password or encrypt\$3 or decipher\$3) and ((reflac\$3 or chang\$3 or modif\$6) near4 password)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 17:51
-	236	(password or encrypt\$3 or decipher\$3) and (select\$3 same (sensitiv\$3 or confidential) near4 (data or information)) and ((sensitive or 2\$sensitive or confidential or secure or 2\$secure) near3 (data or information)) and (((secur\$3 or 2\$secur\$3) with connect\$3) same network)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 14:24
-	72	((password or encrypt\$3 or decipher\$3) and (select\$3 same (sensitiv\$3 or confidential) near4 (data or information)) and ((sensitive or 2\$sensitive or confidential or secure or 2\$secure) near3 (data or information)) and (((secur\$3 or 2\$secur\$3) with connect\$3) same network)) and @ad <= "20000615"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 17:10
-	2	("6061790").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 17:08
-	670	(preset same (counter or number)) near4 transmi\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 17:23
-	7	((preset same (counter or number)) near4 transmi\$5) and (sensitive or 2\$sensitive or confidential or secure or 2\$secure) near3 (data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 17:41
-	7	((preset same (counter or number)) near4 transmi\$5) and (sensitive or 2\$sensitive or confidential or secure or 2\$secure) near3 (data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 17:20
-	2	((preset same (counter or number)) near4 transmi\$5) and ((secur\$3 or 2\$secur\$3) with connect\$3) same network	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 17:37
-	798	(preset same (counter or number)) near4 (transmi\$5 or communicat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 17:40

-	9	((preset same (counter or number)) near4 (transmi\$5 or communicat\$3)) and (sensitive or 2\$sensitive or confidential or secure or 2\$secure) near3 (data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 17:38
-	524	Bodnar.IN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 17:37
-	1	Bodnar.IN. and ((secur\$3 or 2\$secur\$3) with connect\$3) same network	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 17:38
-	11	Bodnar.IN. and (sensitive or 2\$sensitive or confidential or secure or 2\$secure) near3 (data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 17:39
-	2116	polic\$2 near4 (transmi\$5 or communicat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 17:41
-	221	(polic\$2 near4 (transmi\$5 or communicat\$3)) and (sensitive or 2\$sensitive or confidential or secure or 2\$secure) near3 (data or information)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 17:41
-	170	(counter same (password or encrypt\$3 or decipher\$3)) and ((reflac\$3 or chang\$3 or modif\$6) near4 password)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 17:52
-	116	(counter with (password or encrypt\$3 or decipher\$3)) and ((reflac\$3 or chang\$3 or modif\$6) near4 password)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/02 17:53

L Number	Hits	Search Text	DB	Time stamp
-	2138	713/201.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/26 16:05
-	251	713/150.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 11:38
-	3509	encrypt\$3 near3 (key or password) and second near3 (key or password)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 11:39
-	188	((encrypt\$3 near3 (key or password) and second near3 (key or password)) and 713/201.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/26 16:08
-	59	((encrypt\$3 near3 (key or password) and second near3 (key or password)) and 713/150.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/26 16:08
-	109	((encrypt\$3 near3 (key or password) and second near3 (key or password)) and 713/201.ccls.) and @ad <= "20000615"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/26 16:08
-	39	((encrypt\$3 near3 (key or password) and second near3 (key or password)) and 713/150.ccls.) and @ad <= "20000615"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/26 16:08
-	0	enrypt\$3 near3 (link or communication) same (password adj1 (exchang\$3 or pass\$3 or send\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/26 16:18
-	0	enrypt\$3 near3 (link or communication) and (password adj1 (exchang\$3 or pass\$3 or send\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/26 16:18
-	0	enrypt\$3 near3 (link or communication) and (password near3 (exchang\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/26 16:19
-	1769	transmit\$4 near4 (encrypt\$3 adj1 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/26 16:20
-	418	((transmit\$4 near4 (encrypt\$3 adj1 data)) and (encrypt\$3 near3 (key or password) and second near3 (key or password))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 12:14
-	13	((transmit\$4 near4 (encrypt\$3 adj1 data)) and (encrypt\$3 near3 (key or password) and second near3 (key or password))) and 713/150.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/26 16:20
-	20	((transmit\$4 near4 (encrypt\$3 adj1 data)) and (encrypt\$3 near3 (key or password) and second near3 (key or password))) and 713/201.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/11/26 16:20
-	608	380/277.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 11:38
-	307	((encrypt\$3 near3 (key or password) and second near3 (key or password)) and 380/277.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 11:39

-	181	((encrypt\$3 near3 (key or password) and second near3 (key or password)) and 380/277.ccls.) and @ad <= "20000615"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 12:21
-	58	(transmit\$4 near4 (encrypt\$3 adj1 data)) and (transmit\$4 near4 password) and (encrypt\$3 near3 (key or password) and second near3 (key or password))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 12:15
-	3	(transmit\$4 near4 (encrypt\$3 adj1 data)) and (transmit\$4 near4 password) and (encrypt\$3 near3 (key or password) and second near3 (key or password)) and 380/277.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 12:16
-	3	(transmit\$4 near4 (encrypt\$3 adj1 data)) and (transmit\$4 near4 password) and (second near3 (key or password)) and 380/277.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 12:17
-	2147	713/201.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 12:17
-	0	(transmit\$4 near4 (encrypt\$3 adj1 data)) and (transmit\$4 near4 password) and (second near3 (key or password)) and 713/201.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 12:18
-	253	713/150.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 12:17
-	2	(transmit\$4 near4 (encrypt\$3 adj1 data)) and (transmit\$4 near4 password) and (second near3 (key or password)) and 713/150.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 12:18
-	33	((transmit\$4 near4 (encrypt\$3 adj1 data)) and (transmit\$4 near4 password) and (encrypt\$3 near3 (key or password) and second near3 (key or password))) and @ad <= "20000615"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 12:21
-	307	(encrypt\$3 near3 (key or password) and second near3 (key or password)) and 380/277.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 16:46
-	111	((encrypt\$3 near3 (key or password) and second near3 (key or password)) and 380/277.ccls.) and (select\$3 near3 (encryp\$4 or enciph\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 16:47
-	68	((encrypt\$3 near3 (key or password) and second near3 (key or password)) and 380/277.ccls.) and (select\$3 near3 (encryp\$4 or enciph\$4)) and @ad <= "20000615"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 17:54
-	3	((encrypt\$3 near3 (key or password) and second near3 (key or password)) and 380/277.ccls.) and (determ\$ same data same ((security adj1 level) or (sensit\$3 with confiden\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 17:54
-	3525	encrypt\$3 near3 (key or password) and second near3 (key or password)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 17:53
-	3	((encrypt\$3 near3 (key or password) and second near3 (key or password)) and 380/277.ccls.) and (determ\$ same data same ((security adj1 level) or (sensit\$3 with confiden\$4))) and (encrypt\$3 near3 (key or password) and second near3 (key or password))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 17:53
-	33	(encrypt\$3 near3 (key or password) and second near3 (key or password)) and (determ\$ same data same ((security adj1 level) or (sensit\$3 with confiden\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 17:56

-	18	((encrypt\$3 near3 (key or password) and second near3 (key or password)) and (determ\$ same data same ((security adj1 level) or (sensit\$3 with confiden\$4)))) and @ad <= "20000615"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 17:57
-	117	(encrypt\$3 near3 (key or password) and second near3 (key or password)) and (determ\$ with ((security adj1 level) or (sensit\$3 or confiden\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 17:57
-	56	((encrypt\$3 near3 (key or password) and second near3 (key or password)) and (determ\$ with ((security adj1 level) or (sensit\$3 or confiden\$4)))) and @ad <= "20000615"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/01 17:57